




AMERICA'S BEST
CONTACTS & EYEGLASSES

A


TWO (2) SETS OF 21" FACE-LIT CHANNEL LETTERS
& ONE (1) 10 5/8" ILLUMINATED CABINETS
READING "AMERICA'S BEST CONTACTS & EYEGLASSES".
REFER TO PGS 4 & 5 FOR PROPOSED SIGNAGE.
REFER TO PG 6 FOR SIGN DETAIL.

B

ONE (1) DOOR VINYL READING
READING "AMERICA'S BEST CONTACTS & EYEGLASSES".
REFER TO PGS 4 & 7 FOR PROPOSED SIGNAGE.
REFER TO PG 7 FOR SIGN DETAIL.



Sign Locations



SITE PLAN
NTS



CLIENT:	America's Best Contacts & Eyeglasses				
ADDRESS:	2600 SW Barton St Suite E2 Seattle, WA 98126				
PHONE:		E-MAIL:			
DATE:	Today	FILE NAME:	Permit Package - job name	SALES:	AG
		DRAWN BY:	AG		

REVISIONS:

1

This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.

Contractors Lic.
SIGNTEL 988BG

NOTE: This is an original drawing, created by Sign Tech- Electric. It is submitted for your personal use in connection with a project being planned for you by Sign Tech Electric. It is not to be shown to any one outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion. Any printed colors on drawing are for

CUSTOMER / LANDLORD APPROVAL

SIGNATURE
DATE

ELECTRICAL

1. ALL ELECTRICAL COMPONENTS TO BE U.L. APPROVED.
2. CUSTOMER IS RESPONSIBLE FOR ONE (1) 120v/ 20a DEDICATED CIRCUIT w/ GROUND PER SIGN TO WITHIN 6' OF SIGN.
3. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDING W/ THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN.

FABRICATOR

1. PLACEMENT OF LIGHTING ELEMENTS FOR OPTIMUM ILLUMINATION OF SIGN TO BE DETERMINED IN PRODUCTION.
2. MANUFACTURER & U.L. LABELS TO BE APPLIED & VISIBLE FROM THE GROUND. LOCATED ON THE LAST CHANNEL LETTER OR END OF THE SIGN BOX/FREESTANDING SIGN



ALL ELECTRICAL
COMPONENTS ARE
TO BE UL APPROVED